

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	20	(grid near2 comput\$3) same send\$3 near (program application software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/18 15:45
L3	6	(grid near2 comput\$3) same (identity identifier ID) near2 (program application software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/18 16:01
L4	4313	(order\$2 sequenc\$3 workflow) with (program application software) same grid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:10
L5	100470	712/28.ccls. "709"/\$.ccls. 718/100-101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:11
L6	114	L5 and I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:11
L7	64	I6 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:11
L9	42251	(order\$2 sequenc\$3) with (program application software) with (identity identifier ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:14
L10	1314	(order\$2 sequenc\$3) with (program application software) with (identity identifier ID) with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:14

L11	306	L5 and I10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:15
L12	213	I11 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:15
L13	430	(order\$2 sequenc\$3) with (program application software) with (execut\$3 process\$3) with (identity identifier ID) with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:15
L14	83	L5 and I13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:16
L15	56	I14 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:16
L24	802	workflow near2 system with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:29
L25	175	"705"/\$.cls. and I24	US-PGPUB; USPAT	OR	OFF	2010/11/18 16:29
L26	115	I25 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:30
L27	2115	chain\$3 near3 (program application software) with (execut\$3 process\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:39

L28	166	L5 and I27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:39
L30	130	I28 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 16:40
L34	6	(grid near2 manag\$5) same (identity identifier ID) near2 (program application software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/18 16:58
L35	14	(grid near2 manag\$5) same (identity identif\$7 ID) near2 (program application software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/18 17:00
L36	8	I35 not I34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/18 17:00
L37	160	(grid near2 (comput\$3 manag \$5)) same (order sequenc\$3 chain\$3) with (program application software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/18 17:50
L38	194675	712/28.ccls. "709"/\$.ccls. 718/100-101.ccls. "705"/\$.ccls. "719"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 17:50
L39	52	I37 and I38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 17:50
L40	33	I39 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 17:50

L41	2	"20040225711"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/18 17:55
S1	1	"20090204694"	US-PGPUB; USPAT	OR	OFF	2010/10/18 16:59
S2	1	"20030093572"	US-PGPUB; USPAT	OR	OFF	2010/10/18 17:00
S3	2	"20040068586"	US-PGPUB; USPAT	OR	OFF	2010/10/18 17:02
S4	336	grid with (program application) near3 assign\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 11:35
S5	100329	712/28.ccls. "709"/\$.ccls. 718/100-101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 11:36
S6	14	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 11:36
S7	5	("20020019844" "20020198769" "20030220960" "20040015977" "5539883"). PN.	US-PGPUB; USPAT	OR	OFF	2010/11/16 11:45
S8	13761	order\$2 with sequenc\$3 with (program application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:04
S9	690	S5 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:04
S10	546	S9 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:26

S11	3509	order\$2 with sequenc\$3 with (program application) and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:27
S13	540	S5 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:27
S14	425	S13 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:27
S15	1245	order\$2 with sequenc\$3 with (program application) and grid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:28
S16	20	S5 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:28
S17	12	S16 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:28
S18	292	order\$2 with sequenc\$3 with workflow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:31
S19	158	S18 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:32
S20	7	order\$2 with sequenc\$3 with workflow with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:34

S21	6	("20040148185" "6,842,856" "6,782,531" "6,199,081" "7,254,814" "20050135264"). pn.	US-PGPUB; USPAT	OR	OFF	2010/11/16 12:37
S22	7906	(order\$2 sequenc\$3) with (program application) same (grid cluster)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:40
S23	408	S5 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:40
S24	285	S23 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:40
S25	1602	(order\$2 sequenc\$3) with (execut\$3 run\$4) with (program application) same (grid cluster)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/16 12:41
S26	159	S5 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:42
S27	110	S26 and ((@ad<"20050215") or (@prad<"20050215") or (@rlad<"20050215"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/16 12:42

EAST Search History (Interference)

< This search history is empty >

11/18/10 6:15:49 PM**C:\Documents and Settings\qwu\My Documents\EAST\Workspaces\10597634.wsp**